



JME ShortSlugger II

Endurance magnetic base drill up to 1-1/4 in [32 mm]

Small, extremely lightweight 1-speed Endurance magnetic core drill with basic functionality for core drilling on the construction site.

Product number: 7 270 94 61 09 0

Details

- > For tough use, thanks to high-quality workmanship and internal motor cable routing.
- > Uncompromising service life through extra-durable gearbox design with up to 400 hours of operation time.
- > Lightweight with FEIN high-performance motor and high torque for all core drilling work.
- > Excellent price / performance ratio.
- > Easy to read convenient magnetic holding force display.
- > Motion sensor.
- > Internal cooling.
- > High magnetic holding force.
- > Hand feed wheel can be mounted on either side.
- > Good accessibility in cramped operating situations.
- > Personal safety switches.

Price includes

- ✓ 1 coolant tank
- ✓ 1 chip hook
- ✓ 1 centering pin dia. 1/4 x 4 [6.35 x 100] in[mm]
- ✓ 1 chip guard
- ✓ 1 case
- ✓ 1 safety strap
- ✓ 1 centering pin dia. 1/4 x 3-1/8 [6.35 x 80] in[mm]
- ✓ 1 centering pin dia. 3/16 x 4 [4.75 x 100] in[mm]
- ✓ 1 allen key 5 mm

Product feature

- ✓ Magnet holding force display
- ✓ Hand feed wheel can be mounted on either side
- ✓ Tilt sensor

Application



Mag base drilling metal up to 1-3/8 in dia.



Performing overhead work



Installation work



Workshop jobs



★ suitable

★★ well suitable

Technical data

TECHNICAL DATA

Power consumption

1,200 W

Power output

770 W

Full load speed

450 rpm

No load speed

700 rpm

Carbide cutter max. dia.

1-1/4 [32] in[mm]

HSS cutter max. dia.

1-1/4 [32] in[mm]

Cutter max. drilling depth

2 [50] in[mm]

Cutter holder

3/4" Weldon

Stroke

3-9/16 [90] in[mm]

Magnetic holding force

2248 [10,000] lbs[N]

Magnetic holding force

10,000 N

Magnetic base dimensions

6-7/8 [175] x 3-1/8 [80] in[mm]

Magnetic base dimensions

175 x 80 mm

Cable with plug

9.8 [3] ft[m]



Weight

23.81 [10.80] lbs[kg]

Weight

23.81 lbs

Application examples

